




Model: 15VG7M

15 Inch Monitor Metal (4:3)

This 15 inch monitor has a matte IPS panel with a 4:3 aspect ratio. The monitor delivers a crisp image quality with excellent 178° viewing angles. The 15 inch monitor has a sturdy metal housing and is ideal for desktop, flush and wall mounting.

- ✓ 4:3 aspect ratio
- ✓ Input: HDMI, VGA, BNC, RCA
- ✓ Mounting: Flush, embedded, wall, desktop
- ✓ External dimensions: 335 x 259 x 38 mm



General

| | |
|----------------|------------------------------|
| Manufacturer | Beetronics |
| Item Number | 15VG7M |
| Previous Model | 15VGM |
| Product Name | 15 Inch Monitor Metal (4:3) |
| Warranty | 2 Years |
| User Manual | Download PDF |
| Quickstart | Download PDF |

Panel

| | |
|------------------------|------------------------------------|
| Diagonal Size | 15.1 Inches (383 mm) |
| Panel Type | IPS-LCD |
| Aspect Ratio | 4:3 |
| Response Time | 10 ms |
| MTBF | 50K |
| Native Resolution | 1024 x 768 |
| Supported Resolutions | 1920 x 1080 (max), 640 x 480 (min) |
| Pixels Per Inch | 85 PPI |
| Backlight | LED |
| Brightness | 350 cd/m2 |
| Contrast | 1500:1 |
| Colour Encoding System | PAL/NTSC/SECAM |
| Viewing Angle | 178° Horizontal, 178° Vertical |

Connectivity

| | |
|---------------------|--------------------------------|
| HDMI | 1x |
| VGA | 1x |
| BNC (CVBS) | 1x |
| RCA Video | 1x |
| USB-A | 1x Integrated USB Media Player |
| AUX Input (3.5mm) | 1x |
| AUX Output (3.5 mm) | 1x |

Size & Weight

| | |
|----------------------------|------------------------------------|
| Colour | Black |
| Dimensions (Without Stand) | 335 x 259 x 38 mm |
| Image Size | 306 x 230 mm |
| Weight | 2200 Grams (2800 Grams With Stand) |

Features & Functions

| | |
|------------------|---|
| Audio | Integrated Speakers |
| Key-Lock | The control buttons can be blocked. |
| Auto-On | Automatically powers on when it receives current or a signal. |
| Dimmable | Adjustable Backlight Brightness |
| Mirroring | Image can be mirrored, horizontally and vertically |
| Orientation | Landscape, Portrait, Face-up |
| USB Media Player | The monitor is equipped with a built-in USB media player. |

Power

| | |
|--------------------------------|---|
| Input Voltage | DC 9-36V |
| Consumption | Typical 12.0 W (On), 0.4 W (Standby) |
| Power Supply | External DC (Power Adapter Included) |
| Power Adapter | Input: AC100-240V, 50/60Hz , Output: 19V-1.5A |
| Power Adapter Output Connector | DC Barrel Plug 2.1mm x 5.5mm |

Environmental

| | |
|------------------------------|--------------------------|
| Max. Non-Stop Operating Time | 24/7 |
| Operating Temperature | -20°C to +60°C |
| Storage Temperature | -20°C to +70°C |
| Operating Humidity | 20% - 85% Non-Condensing |

Mounting

| | |
|-------------|-----------------------------|
| Wall Mount | ✔ VESA 75x75mm |
| Flush Mount | ✔ Mounting Strips Included |
| Stand | ✔ Adjustable and Detachable |

Certifications & Standards

| | |
|----------------|--|
| Certifications | CE, FCC, RoHS, REACH, WEEE, UKCA, e-Mark, EN50155, EN60601-1, EN60601-1-2, CCC, CAN ICES-003(A)/NMB-003(A) |
|----------------|--|

Package Content

| | |
|----------|---|
| Includes | Monitor, Stand, Remote Control, Mounting Strips, AC Power Adapter, Manual |
|----------|---|

Compatible Accessories

| | |
|--------------------|--|
| Infrared Extension | Compatible With Infrared Extender (IRC7) |
| Dimmer | Compatible With External Dimmer (DMK7/DMK8) |
| Rack Mounting | Compatible With 19 Inch Rack Mount Kit (RMK2) |
| Wall Mounting | Compatible With Flat Wall Mount Bracket (VWB1) |
| Stand | Compatible With VDK3 Collapsible Stand |



